Pathofast

Tel: 02049304930

Address 2nd Floor, Manisha Terrace, Moledina Road, Camp, Pune-411001,

MH, India

Patient Details

Name: Priti Khanna

Date of Birth: 1 Jun 1951 Age: 71 years/Female Referred By: Self

Report Details

Name: Pregnancy Glucose Tolerance

Test

Sampling Received At:

2023-01-25T00:19:02.489+05:30

Name	Result	Normal Range
Pregnancy GTT - Plasma Glucose(Fasting (mg/dL)	81	70-92
Pregnancy GTT - Plasma Glucose(1 hr) (mg/dL)	135	90-180
Pregnancy GTT - Plasma Glucose(2 hours (mg/dL)	111.5	70-15
Authorized By Test M	lethods	Notes, Integrated in & ring Factors
	GOD-POD	asting perit of 8-14 hours is mandatory 2. Legacian Association of Diabetes and Pregnancy Groups (IAN G) guidenes are used in our lab. 3. As perit guidelines, fasting, 1 hour and 2 hour samples are considered, after the administration of 75gm of glucose for the purpose of a gestational oral glucose
Dr. Amitabh Bachchan MBBS Registration Number: 12345678		 Jerance test. For the three time periods, Fasting, 1 hour and 2 hour: threshold values of 92 mg/dl, 180 mg/dl and 153 mg/dl, are used as cut-off values. The IADPG recommends that all women should undergo a fasting PG and HBA1C during their first perinatal visit. A full GTT is recommended between 24-28 weeks of gestation with the above mentioned thresholds. One or more value above the thresholds, is considered diagnostic of GDM(gestations diabetes mellitus) There exist many different guidelines for interpretation and performance of the GTT, like ACOG, WHO, ADA, each with different normal ranges, glucose loading dose and sampling intervals. If your physician requires a specific guideline to be followed, please indicate the same at the time of the test.

Page <u>1</u> of <u>1</u>

Disclaimer

This is a sample report, on a dummy patient, signed by a dummy doctor. The actual report format may vary and you are requested not to compare with the same.

- 'Sample Received At' refers to the date and time of the first sample collection done for a patient, for a given set of tests. In case of subsequent collections(eg in case of Fasting and PP, suppression or stimulation tests) the time may not reflect the actual time of collection.
- 2. Methods of measurement are mentioned together at the bottom of each report, test units to the right of each test name. All reeports are subject to clinical correlation and not intended for forensic purposes.

End of Print of Reports for Priti Khanna

